

INDEX MAPS.

T.23 N.R. 5 E. 2^d Mer.

	6		7		7		8		8		9	
11	6	38	5	31	4	26	3	22	2	16	1	6
	38		37		31		26		21		16	
11	7	37	8	30	9	26	10	20	11	15	12	5
	37		36		30		25		20		15	
10	18	36	17	29	16	25	15	14	14	14	13	5
	35		35		29		24		19		14	
10	19	34	20	29	21	24	22	14	23	13	24	4
	34		33		28		23		18		13	
9	30	33	29	28	28	23	27	18	26	12	25	4
	33		32		27		22		17		12	
9	31	32	32	27	33	22	34	17	35	12	36	4
	1		1		2		2		3		3	

T.24 N.R. 5 E. 2^d Mer.

	48		49		49		50		50		50	
53	6	94	5	84	4	76	3	69	2	61	1	48
	94		93		83		76		68		60	
53	7	92	8	82	9	75	10	67	11	60	12	47
	92		91		82		74		67		59	
53	18	91	17	81	16	73	15	66	14	58	13	47
	90		89		80		73		65		57	
52	19	89	20	79	21	72	22	65	23	57	24	46
	88		88		79		71		64		56	
52	30	87	29	78	28	71	27	63	26	55	25	46
	86		85		77		70		62		55	
51	31	85	32	77	33	69	34	62	35	54	36	45
	43		43		44		44		45		45	

The figures on the lines refer to the page.

Township No. 23 N. Range No. 5 E. 2nd Mer. Indiana.
Chs. lks.

South Boundary.

Var. 4.43' East

189.30'6. On S. Boundary of Sec. 31

8.40 a Hickory 6 in diam.

11.10 Lean Windfall

36.34 Set 2nd Sec. post p. wh.

a Birch 7 in diam. to N. 35 E. 30 lks. dis.

a Do 7 " " " N. 79 W. 8 " "

39.86 a Birch 8 " "

44.84 Enter Field

48.35 a House on Line

49.50 Lean Field

50.00 a Road N. W. (Shawtown & Peru)

77.00 Enter Field

76.34 Set post Cor. to Sec. 31 & 32 in pile p. wh.

a Hickory 12 in diam. to N. 64 W. 61 lks. dis.

a W. Wood 20 " " " N. 8 E. 33 " "

Land covered first with Birch.
Sugar. Ash, Elm, Oak, Maple, Buckeye,
Lycium &c.

189.30'6. On S. Boundary of Sec. 32 Var. 4.43' E

9.00 a House 50 lks. - South

11.00 Lean Field

13.65 a Birch 8 in diam.

19.00 a Road S. W.

40.00 Set 2nd Sec. post p. wh.

a Birch 8 in diam. to N. 5 E. 30 lks. &

a Do 8 " " " South 14 "

43.43 a W. Wood 12 " "

70.00 Enter Swamp

75.00 Lean Do

80.00 Set post Cor. to Sec. 32 & 33 p. wh.

a Birch 12 in diam. to N. 35 E. 23 lks. &

a Do 12 " " " N. 55 W. 41 "

Land rolling pine & oak timber

2.

T. 23 N. R. 5 E. 2nd Mer. Indiana
ch. 11k.

Beech. Sugar. Ash. Elm Oak,
Walnut, W. Wood, Syc. Maple,
Buckeye &c

189.30' E. On S. Boundary of Sec. 33. Var. 4.30' E.

6.59 a W. Oak 20 in. diam.

16.00 Enter Swale

18.00 Leave Do

40.00 Set 2nd Sec. post p. wh.

a Beech 8 in. diam. b. N. 65 E. 15 lbs. x

a Do 6 " " " N. 35 W. 33 "

42.80 a Do 8 " "

80.00 Set post Cor. to Sec. 33 & 34 p. wh.

a Beech 7 in. diam. b. N. 10 E. 32 lbs.

a Do 8 " " " N. 60 W. 16 "

Land Sur. govt. firm rate,
Beech, B. Walnut, Oak, W. B. Ash,
Hickory, Elm, Sugar, Buckeye, Iron-
wood, White Wood &c

189.30' E. On S. Boundary of Sec. 34

3.81 a White Wood 20 in. diam.

14.00 Ascend Bank 10 feet

17.50 a Stream 18 lbs. wide cor. N. 11 W.

24.50 Ascend Bank 10 feet

25.00 Old Trail N. 1/4.

40.00 Set 2nd Sec. post p. wh.

a Beech 8 in. diam. b. N. 41 E. 32 lbs. x

a Do 8 " " " N. 79 E. 39 "

47.17 a B. Ash 14 " "

56.00 a Road N. 1/4.

66.00 Bed of a Stream N. 1/4.

80.00 Set post Cor. to Sec. 34 & 35 p. wh.

a Syc. 12 in. diam. b. N. 45 E. 31 lbs. av.

a Elm 24 " " " N. 5 W. 39 "

Land Sur. firm rate Oak.

T. 23 N. R. 5 E. 2nd Mer. Indiana. 3.
Ch. Lk.

Ash. Elm. Beech. Sugar. Hickory.
B. Walnut. Lym. Buckeye &c.

N. 89° 30' E. On S. Boundary of Sec. 35.

5.00 a Stream 15 lks. wide co. North

6.85 a Buckeye 8 in. diam.

17.00 a Road N. & S.

35.00 Enter Marsh N. W. & E.

40.00 Set 2nd Sec. post pr. wh.

a W. Ash 8 in. diam. B. N. 75 W. 52 lks.

a Maple 5 " " " N. 40 E. 35 "

56.00 Leave Marsh S. & E.

77.76 a W. Ash 8 in. diam.

80.00 Set post Cor. to Sec. 35 & 36 pr. wh.

a Hickory 8 in. diam. B. N. 54 W. 11 lks.

a W. Wood 10 " " " N. 15 E. 28 "

Land Soil first rate Clay
Soil - Beech. Sugar. Oak. Ash. Elm.
Maple. Lym. Buckeye. Hickory. &c. -

N. 89° 30' E. On S. Boundary of Sec. 36. Var. 4° 30' E.

7.76 an Elm 12 in. diam.

36.00 a Road N. & S.

40.00 Set 2nd Sec. post pr. wh.

a Beech 18 in. diam. N. 42 W. 30 lks. x

an Ironb. 8 " " " N. 38 E. 27 "

46.20 a W. Oak. 22 " " "

80.00 Set post Cor. to Sec. 22 & 23 North
Ranges 5 & 6 East pr. wh.

a Beech. 12 in. diam. B. N. 65 E. 50 lks.

a Burr Oak 12 " " " " N. 48 W. 35 "

Intention at Temp. post

Land Soil first rate

Clay soil - Oak. B. & W. Ash. Elm. Beech.
Sugar. Lym. Hickory. Ironb. Buckeye. W. Wood &c.

Nov 22, 1846.

4. T. 23. N. R. 5 E. 2nd Mer. Indiana.
Ch. lks.

East Boundary.

Var. 4:15' E.

N. 5' W. On E. Boundary, of Sec. 36
21.48 an Elm 12 in. diam.
40.00 Set 2nd Sec. post p. wh.
" W. Ash 10 in. diam. to N 30 W. 26 lks.
" Syon 10 " " " 45 W. 13 "
47.00 Enter Swamp Ex W.
51.00 Clear Lc Ex W.
61.28 a Sycamore 20 in. diam.
80.00 Set post Cor. to Sec. 25 & 36. p. wh.
a Beech 12 in. diam. to N 52 W. 82 lks.
" Sugar 12 " " " 40 W. 72 "
Land level firm rate Clay
soil - Beech. Sugar. Elm. Hickory,
Oak. Syon. Ash. Buckeye. Sycamore &

N. 5' W. On E. Boundary, of Sec. 25 Var. 4:15' E.

20.63 a B. Ash 10 in. diam.
40.00 Set 2nd Sec. post p. wh.
" W. Beech 6 in. diam. to N 88 E. 17 lks.
a Beech 8 " " " N 50 W. 31 "
60.09 an Elm 12 "
73.50 Enter Field Ex W. 1000 W. & 8.00 E.)
78.50 Clear Lc Ex W.
80.00 Set post Cor. to Sec. 24 & 25 p. wh.
a Beech 10 in. diam. to N 35 W. 36 lks. du
a Lc 10 " " " 66 W. 75 "
Land level firm rate Clay
soil - Beech. Sugar. Hickory. Cherry. Oak.
Ash. Elm. Maple. Syon &c

N. 5' W. On E. Boundary, of Sec. 24 Var. 4:15' E.

13.50 a Road Ex W.
16.00 a Stream lks. wide co. W.
19.21 a Beech 7 in. diam.

T. 23 N. R. 5 E. 2nd Mer. Indiana 5.

Chs. lks.

40.00 Set 2^d Sec. post p. wh.
a Beech 18 in. diam. to N 15 W. 26 lks. dis.
a Do 14 " " " S. 54 E. 16 " "

57.50 a Road E. & W.

60.00 Ascend Bank 15 feet

61.10 an Elm 12 in. diam.

63.50 a Stream 20 lks. wide co. S. W.

70.00 Ascend Bank 10 feet

80.00 Set post Cor. to Sec. 13 & 24 p. wh.

a Beech 10 in. diam. to S 20 W. 15 lks. x

a Do 8 " " " N. 18 W. 46 "

Land good rolling fine state
Clay Soil - Beech. Ash. Sugar. Elm.
Hickory, Gum. Oak. Ironwood. Buckeye
Maple. - Pine &c

N. 5th On E. Boundary of Sec. 13. Var. 3.45 E.

21.96 a Hickory 14 in. diam.

40.00 Set 2^d Sec. post p. wh.

an Elm 7 in. diam. to S. 72 E. 15 lks. dis.

a Beech 10 " " " N. 72 W. 36 " "

61.96 a Gum 28 " "

80.00 Set post Cor. to Sec. 12 & 13 p. wh.

a Beech 8 in. diam. to S. 75 W. 28 lks. dis.

a Do 8 " " " N. 35 W. 27 " "

Land rolling fine state.
Beech. Sugar. Hickory. Elm. Gum.
Oak. Ash. Walnut. Buckeye. Pecan &c

N. 5th On E. Boundary of Sec. 12. Var. 3.45 E.

11.50 a Road N. N. E.

22.35 a Hickory 12 in. diam.

40.00 Set 2^d Sec. post p. wh.

a W. Ash 10 in. diam. N. 50 W. 48 lks. dis.

a Beech. 12 " " " S. 45 E. 12 " "

55.00 a Road E. & W.

6. T. 23 N. R. 5 E. 2nd Mer. Indiana.
ch. lks.

73.70 a Beech 10 in. diam.
75.00 a Stream 15 lks. wide co. N.W.
80.00 Set post Cor. to Sec. 1 & 12 pr. wh.
a Beech 10 in. diam. to N.W. 14 lks. &
an Elm 20 " " " N.W. 40 "

Land slightly rolling, first
rate Clay soil. Beech. Sugar. Ash.
Oak. Lym. Elm. Walnut. Buckeye.
Hickory &c

N. 5th On E. Boundary of Sec. 1. Var. 4th E.

19.80 a W. Ash 30 in. diam.
40.00 Set 2nd Sec. post pr. wh.
a Sycamore 24 in. diam. to N.W. 20 lks.
an Elm 30 " " " N.W. 52 "

44.00 a Beech 10 " "
74.23 Intersected Town Cor. at post pr. wh.
a B. Ash 12 in. diam. to N.W. 52 lks.
an Elm 12 " " " N.W. 47 "

Land rolling first rate -
Clay soil - Beech. Sugar. Ash. Hickory.
Elm. Oak. Walnut. Buckeye. Lym.
Spice &c - Nov 23, 1846.

North Boundary.

Var. 4th E.
N. 9th 30th E. On S. Boundary of Sec. 31 & 32 N. R. 5 E.

1.00 Dry Bed of Stream N. by W.
4.60 a W. Ash 10 in. diam.
35.00 Set 2nd Sec. post pr. wh.
a B. Ash 6 in. diam. to N.W. 16 lks. dis.
a Do 6 " " " N.W. 16 " "

42.20 a Beech 12 " "
74.25 a Stream 6 lks. wide co. North
75.00 Set post Cor. to Sec. 31 & 32 pr. wh.
a Sugar 10 in. diam. to N.W. 16 lks. &

T. 23 N. R. 5 E. 2nd Mer. Indiana 7.
 ch. lks.

on Ironwood 8 in. diam. to N 35 E. 40 lks. dist.
 Land gently rolling first rate.
 Sugar. Hickory, Ironw. Beech. W. Wood.
 Lym. W. B. Oak. Maple & Undergrowth.
 P. Ash. & Spice

N 89.30 E. On S. Boundary of Sec. 32 Var. 4.40 E.
 7.00 a B. Walnut 24 in. diam.
 38.50 a Road N. W.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 6 in. diam. to N 12 E. 21 lks. dist.
 a Do 8 " " " " 39 W. 20 " "
 44.96 a Beech 12 " "
 47.00 Ascend Bank 30 feet to Creek Bottom
 57.00 Wild Cat Creek. 100 wide co. (Rapids) North.
 Shallow, with stony Bottom
 68.00 Ascend slightly p. Creek Bottom N. & E.
 80.00 Set post Cor. to Sec. 32 & 33 p. wh.
 a Beech 18 in. diam. to N 50 E. 80 lks. dist.
 a Cherry 8 " " " " N 18 W. —

Land gently rolling first rate
 Sugar. Beech. Lym. Ironw. W. & B. Oak.
 Buckeye. W. Wood. Maple. Bottoms
 rich - Subject to inundation.

N 89.30 E. On S. Boundary of Sec. 33 Var. 4.30 E.
 5.34 a Beech 10 in. diam. T. 24 N. R. 5 E.
 22.50 a Road N. & E.
 24.20 Enter Large Coripile N. & E.
 40.00 Set 2nd Sec. post, in field p. wh.
 a Dry W. Oak 10 in. diam. to N 55 E. 50 lks. dist.
 No other
 47.00 Clear Field
 48.50 Dry Bed of Hiram co. South
 66.00 a Stream 4 lks. wide co. South
 76.71 a Sugar 15 in. diam.

8.

T. 23 N. R. 5 E. 2nd Mer. Indiana.

ch. lks.

- 80.00 Set post Cor. to Sec. 33 & 34 p. wh.
 a Buckeye 10 in. diam. to N. 66 E. 30 lks. x
 a Sugar 10 " " " N. 43 W. 46 "

Land gently rolling fine rate
 Sugar Beech. B. Walnut. Ironwood
 Buckeye &c.

N. 89.30 E. On S. Boundary of Sec. 34 T. 24 N. R. 5 E.

6.04 a Beech 12 in. diam. T. 24 N. R. 5 E.

31.50 a Stream 10 lks. wide co. S. W. Rapid
 with muddy Bottom

40.00 Set 2nd Sec. post p. wh.

a Beech 10 in. diam. to S. 33 E. 9 lks. dis.

a Do 6 " " " N. 10 W. 55 " "

This 2nd post stands in Stream 4 co. N.

44.20 a Sugar 18 in. diam.

80.00 Set post Cor. to Sec. 34 & 35 p. wh.

a Beech 10 in. diam. to N. 28 E. 22 lks. x

a Do 10 " " " N. 72 W. 25 "

Land gently rolling fine rate
 clay soil. Sugar Beech. B. Walnut
 N. B. Oak. Hickory. Maple &c.

N. 89.30 E. On S. Boundary of Sec. 35 T. 24 N. R. 5 E.

Var. 4.00 East

7.87 a Beech 10 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 6 in. diam. to N. 35 E. 22 lks. dis.

a Do 6 " " " S. 11 E. 19 " "

44.96 a Do 12 " "

80.00 Set post Cor. to Sec. 35 & 36 p. wh.

a Beech 6 in. diam. to N. 35 W. 16 lks. dis.

a Do 24 " " " N. 16 E. 69 " "

Land gently rolling fine clay soil
 Beech. Sugar. Poplar. Maple. Sycamore. Elm. Lym. &c.

T. 23 N. R. 5 E. 2nd Mer. Indiana. 9.

Ch. 16.

N. 89° 30' E. On S. Boundary, of Sec. 36. T. 24 N. R. 5 E.
Variation 4° East

232 a Beech 6 in. diam.

8.50 a Road N. S. W.

40.00 Set 2nd Sec. post p. wh.

a Beech 8 in. diam. B. S. 2 W. 26 lks. dir.

a Spr 15 " " " N. 61 E. 45 " "

42.78 a Spr 10 " "

80.00 Set post Cor. to Towns 23 & 24 North
Range 5 & 6 East p. wh.

a B. Ash 12 in. diam. B. N. 69 W. 52 lks.

a Elm 12 " " " S. 52 E. 47 "

Land here very rich. First
rate Clay Soil. Beech. Elm. Sugar.
Syr. Sycamore. Oak. Buckeye. Maple &
Hick & P. Ash.

West Boundary.

Var. 4° 45' E.

North On E. Boundary, of Sec. 36. T. 23 N. R. 4 E.

5.00 Clear Windfall & Enter Swamp

9.60 a Stream 10 lks. wide co. N. E.

21.40 an Elm 18 in. diam.

25.00 Clear Swamp

40.00 Set 2nd Sec. post p. wh.

a Beech 8 in. diam. B. S. 68 W. 16 lks. dir.

a Spr 10 " " " N. 40 E. 34 " "

53.02 a B. Ash 10 " "

80.00 Set post Cor. to Sec. 25 & 36 p. wh.

a Beech 10 in. diam. B. N. 40 W. 34 lks.

a W. Ash 16 " " " S. 20 W. 43 "

Land except Swamp, Soil
2nd Rate - Oak. Elm. Maple. Ash.
Beech. Sycamore. Sugar. Syr. &

North On E. Boundary, of Sec. 25. T. 23 N. R. 4 E.

T. 23 N. R. 5 E. 2nd Mer. Indiana.

chs. lks.

- 21.73 an Ironwood 6 in. diam.
 37.00 a Stream 15 lks. wide co. N. E.
 40.00 Set 2nd Sec. post p. wh.
 a B. Ash 12 in. diam. S. 75 E. 28 lks. dis.
 a W. Ash 12 " " N. 45 W. 12 " "
 66.83 a B. Ash 12 " "
 80.00 Set post Cor. to Sec. 24 x 25 p. wh.
 an Elm 14 in. diam. S. 42 W. 18 lks. dis.
 a Beech 16 " " " N. 30 W. 74 " "
 Lance Lure 2nd rate - Elm.
 B. & W. Ash. B. & W. Oak. Maple. Beech.
 Sugar. Hickory. Gum. Walnut &c

- North On E. Boundary of Sec. 24 T. 23 N. R. 4 E.
 12.45 a Gum 12 in. diam.
 40.00 Set 2nd Sec. post p. wh. (in Road E. & W.)
 a Beech 8 in. diam. S. 70 E. 27 lks. dis.
 a Do 7 " " " N. 21 W. 22 " "
 55.63 an Elm 14 " "
 80.00 Set post Cor. to Sec. 13 x 24 p. wh.
 a Beech 10 in. diam. S. 41 W. 84 lks. &
 a Do 12 " " " N. 65 W. 62 "
 Lance Lure 1st rate. Timber
 Beech. Sugar. Oak. Buckeye. B. Walnut
 Ironwood. Oak. Elm. Ash. Hickory &c

- North On E. Boundary of Sec. 13. T. 23 N. R. 4 E.
 10.16 a Beech 10 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a Beech 8 in. diam. S. 45 E. 11 lks. dis.
 a Do 8 " " " N. 60 W. 12 " "
 55.00 a Road N. & W. (Stratton & Penn)
 56.40 a W. Ash 16 in. diam.
 56.50 a Shaggy Stream 50. co. W.
 80.00 Set post Cor. to Sec. 12 x 13 p. wh.
 a Beech 18 in. diam. S. 42 W. 40 lks. &

T. 23 N. R. 5 E. 2nd Mer. Indiana.

chs. lks.

a Beech 10 in. diam. B. N. 24 W. 93 lks.
Land rolling first rate
Beech. Ash. Oak. Sugar. Ironwood
Elm. Maple. Walnut. Hickory Buckeye &c

North On E. Boundary of Sec. 12 T. 23 N. R. 4 E.

29.15 a W. Oak 30 in. diam.
33.00 Enter Swamp
37.00 Leave do
40.00 Set 2nd Sec. first p. wh.
a W. Oak 14 in. diam. B. N. 40 W. 47 lks. &
a Beech 8 " " " N. 75 E. 33 "
49.30 a B. Ash 8 "
50.00 Set first Cor. to Sec. 1 & 12 p. wh.
a B. Ash 12 in. diam. B. N. 44 W. 20 lks. &
a Beech 8 " " " N. 65 W. 48 "

Land rolling first rate
Beech. Sugar. Buckeye. Oak. Walnut.
Hickory. Gum. Maple. Elm. W. B. Ash &c.

North On E. Boundary of Sec. 1. T. 23 N. R. 4 E.

17.15 a W. Oak 12 in. diam.
40.00 Set 2nd Sec. first p. wh.
a Beech 8 in. diam. B. N. 40 W. 37 lks. &
a W. Ash 6 " " " N. 35 W. 17 "
70.13 a W. Oak 12 "
74.75 Intersecta Town Cor. at first p. wh.
(Cor. to Towns 23 & 24 N. R. 4 & 5 E. in stream
10 lks. wide cor. N. & W.)
a Beech 8 in. diam. B. N. 48 W. 35 lks. &
a B. Ash 12 " " " N. 32 W. 43 "

Land Low and wet, Elm. B. & W.
Ash. Beech. Maple. Sugar. Hickory. Gum &c.

Surveyed in 1846 by

John M. Little

Asst. J. Surveyor

12.

T. 23 N. R. 5 E. 2nd Mer. Indiana.

chs. lks.

Subdivision

Var. 4th 15 E.

N. 5' W. Between Sections 35 & 36.

24.70 a Stream 10 lks. wide co. N. W.

25.70 a Sugar 18 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Sugar 18 in. diam. p. N. 45 E. 26 lks. &

a Ho 18 " " " N. 80 W. 7 "

60.00 a Buckeye 10 " "

80.00 Set post Cor. to Sec. 25. 26. 35 & 36. p. wh.

a Sugar 18 in. diam. p. N. 30 W. 30 lks.

a Ho 18 " " " 4, 30 E. 35 "

Land Sur. pinnate, Beech.
Sugar. Irono. White wood, Cherry, W. & B.
Ash, W. & B. Oak, Lym. Buckeye,
Elm - - - - - Spike &c.

N. 89.30 E. On Random Betw. Sec. 25 & 36.

2.00 a Road S. E. E.

5.50 a Stream 15 lks. wide co. N. N. E.

80.10 Interrupted E. Boundary. 10 lks. S. of post

Land Sur. pinnate
Beech. Sugar. Ash. Elm. Walnut,
Hickory, W. Wood, Lym. Irono. &c.

N. 89.30 W. Comited Betw. Sec. 25 & 36

22.25 a Beech 10 in. diam.

40.05 Set 2nd Sec. post p. wh.

a W. Ash 10 in. diam. p. S. 21 W. 15 lks. &

a Beech 10 " " " N. 40 W. 25 "

63.40 a Sugar 18 " "

80.10 to Sec. Cor.

N. 5' W. Between Sections 25 & 26

22.58 a Beech 10 in. diam.

31.00 Descend steep Bank 80 feet E. & W.

T. 23 N. R. 5 E. 2nd Mer. Indiana. 13.

chs. lks.

- 32.00 a Stream 50 lks. wide co. E. N. E. rapids
 40.00 Set 2nd Sec. post p. wh.
 a Beech 10 in. diam. B. N. 16 E. 14 lks.
 a Do 10 " " " S. 17 W. 15 "
 68.25 a Do 8 " " "
 80.00 Set post Cor. to Sec. 23, 24, 25, 26 p. wh.
 a Beech 18 in. diam. B. N. 51 W. 60 lks. do.
 a Do 12 " " " " S. 53 E. 29 " "
 Land rolling pine rate
 Beech, Sugar. Elm, Ironwood, Lym.
 W. Wood, Ash, Buckeye, Hickory &c

- 189.30⁶ On Random Betwth Sec. 24 & 25
 37.50 a Road S. E. & N. W.
 52.00 Ascena Bank. 20 feet
 59.50 a Stream 50 lks. wide co. N. E. (Leef)
 70.00 Ascena Bank 15 feet
 79.90 Interrupted E. Boundary. 15 lks. S. of post
 Land level pine rate - Sugar.
 Beech, Ash, Elm, Oak, Walnut, W. Wood
 Lym. Hickory Lym &c

- 189.30¹¹ Cornelia. Betwth Sec. 24 & 25
 18.50 an Elm 18 in. diam.
 39.95 Set 2nd Sec. post p. wh.
 a W. Ash 6 in. diam. B. N. 56 E. 66 lks. &
 a Beech 10 " " " " S. 34 W. 40 "
 59.75 an Ironw. 8 " "
 79.90 to Sec. Cor.

- 18.5¹¹ Between Section 23 & 24
 21.50 a W. Ash 15 in. diam.
 28.00 a Road S. E. & W.
 46.00 Set 2nd Sec. post p. wh.
 a Beech 10 in. diam. B. N. 27 E. 4 lks. do.
 a Do 10 " " " " N. 21 W. 30 " "

14. T. 23 N. R. 5 E. 2nd Mer. Indiana.

Ch. Lk.

55.00 Enter Open Marsh W. N. W.

61.30 a Red Oak 24 in. diam.

63.00 Leave Marsh N. W.

80.00 Set 1st L. Cor. to Sec. 13, 14, 23, 24 p. wh
a W. Ash 15 in. diam. B. 1.83 W. 25 lks. x
a Beech 12 " " " N 85 E. 33 "

Land level firm rate Beech.
Sugar. Ash. Elm. Oak. Whitewood.
Maple Gum. Hickory. Walnut.
Ironwood. Buckeye &c

189306 On Random Betw. Sec. 13 & 24

16.00 a Road N. & S.

21.00 Enter Field

31.00 Leave Do

37.00 a Stream 80 lks wide co. North

56.00 Top of Bank 15 feet

64.30 a Stream 60 lks wide co. N. W.

67.50 Ascend Bank 15 feet

70.00 a Brook 4 lks wide co. S. E.

79.90 Interrupted E. Boundary at Pool

Land rolling firm rate soil -
and timber - same as last mile -

189306 Corrected Betw. Sec 13 & 24

8.46 a Beech 8 in. diam.

39.95 Set 2nd Sec. 1st L. p. wh.

a Beech 12 in. diam. B. 1.65 E. 8 lks. x

a Do 12 " " " N. 24 W. 15 "

79.90 to Sec. Cor. Dec. 25, 1846

N. 5th Between Sections 13 & 14

16.00 a Road E. & W.

23.20 a Buckeye 10 in. diam.

28.00 a Stream 150 wide co. West

40.00 Set 2nd Sec. 1st L. p. wh.

T. 23 N. R. 5 E. 2nd Mer. Indiana ¹⁵⁷

Chs. Rk.

a Beech 10 in. diam. N. 50 E. 24 lbs. dia.
 a Do 6 " " " " 20 W. 7 " "
 47.70 a Stream 10 lbs. wide co. W.
 64.66 a Beech 10 in. diam.
 69.00 a Road N. W.
 80.00 Set for Cor. to Sec. 11, 12, 13, 14 p. wh.
 a Beech 12 in. diam. N. 20 E. 16 lbs. dia.
 a Do 12 " " " " N. 30 E. 29 " "
 Land rolling fine rate
 Walnut W. Wood Beech, Sugar, Ash,
 Elm, Syc. Maple, Oak, Hickory
 Buckeye &c

189.30 E On Random Betw. Sec. 12 & 13

68.00 a Road N. & S.

80.08 Interrupted E. Boundary 8 lbs. S. of first
 Land Surt fine rate - Beech,
 Sugar, Ash, Elm, Oak, Hick. Walnut
 W. Wood, Ironw. Syc. Maple &c

189.30 W Connected Betw. Sec. 12 & 13

18.35 a Beech 8 in. diam.

80.04 Set 2nd Sec. for 2 p. wh.

a Beech 8 in. diam. N. 75 E. 19 lbs. dia.

a Do 7 " " " " 18 W. 24 " "

60.48 a Beech 18 " "

80.08 to Sec. Cor.

N. 5th Between Sections 11 & 12

2.30 a Stream 5 lbs. wide co. West

17.13 a Sugar 14 in. diam.

30.00 a Stream 4 lbs. wide co. West

46.00 Set 2nd Sec. for 2 p. wh.

an Ironw. 7 in. diam. N. 36 W. 20 lbs. dia.

a Beech 8 " " " " 25 E. 17 " "

59.25 a Hickory 10 " "

16. T. 23 N. R. 5 E. 2nd Mer. Indiana.
chs. lks.

70.00 Enter Field. extend 200 E & 6.00 W.

75.50 Leave Same

76.00 a Road N. E.

80.00 Set post Cor. to Sec. 1, 2, 11, 12 p. w. h.
a Beech 8 in. diam. N. 4.62 E. 30 lks. &
a Do 8 " " N. 4.77 W. 22 "

Land Sur. first rate Timber
Beech, Sugar, Walnut, Hickory,
W. Wood, Ironw. Elm, Gum, Buckeye, &c.

N. 89.30' E. On Random Betw. Sec. 1 & 12

43.00 a Stream 30 lks. wide co. N. W.

79.96 Interrupted E. Boundary at post

Land rolling fine rate
Beech, Sugar, Elm, Ash, Oak,
Hickory, Maple, Buckeye, Gum, &c.

N. 89.30' W. Corrected Betw. Sec. 1 & 12

23.00 a Sugar 10 in. diam.

39.98 Set 2nd Sec. post p. w. h.

a Beech 10 in. diam. N. 4.65 W. 7 lks. &
a Do 8 " " N. 4.10 E. 31 "

61.50 a Do 10 " "

79.96 to Sec. Cor.

N. 5' W. Between Sections 1 & 2

7.00 a Stream 30 lks. wide co. West

14.67 a Beech 8 in. diam.

17.00 Enter Field 4.00 W. & 2.00 E.

27.00 Leave Do

40.00 Set 2nd Sec. post p. w. h.

a Beech 10 in. diam. N. 30 E. 61 lks. &

a Hick. 12 " " N. 30 W. 21 "

55.00 Enter Swale E & W.

59.50 a W. Oak 8 in. diam.

60.00 Leave Swamp

17.

T. 23 N. R. 5 E. 2nd Mer. Indiana

Chs. lks.

74.50 Intersection N. Boundary at first pr. wh.
a Beech 14 in. diam. to S 55 W. 64 lks. cor.
a Sugar 10 " " " S 7 E. 53 " "
Land rolling firm rate
Beech, Sugar, Ash, Elm, Oak,
Hickory, Lym. Maple, W. Wood
Walnut, Buckeye, &c. Dec. 26. 1846,

N 5 W. Between Section 34 & 35

18.00 a Stream 20 lks. wide co. N. N. W.

23.00 a Sugar 18 in. diam.

44.00 1st 2nd Sec. first pr. wh.

a Beech 10 in. diam. to S 75 W. 38 lks. cor.

a Do 8 " " " S 60 E. 31 " "

60.25 a Do 8 " "

80.00 1st pr. wh. Cor. to Sec. 26. 27. 34. 35 pr. wh.

a W. Ash 15 in. diam. to S 45 W. 13 lks. x

a Beech 8 " " " N 35 E. 40 "

Land level firm rate, Am.
Beech, Sugar, Ash, Buckeye, Elm,
Hickory, Ironw. White wood Lym.
Maple &c

N 89.30 E. On Random Betw. Sec. 26 & 35

10.00 Enter S. Cor. of Field

17.00 Leave Do

21.50 Descend Bank 10 feet N. N. W.

23.00 a Stream 10 lks. wide co. N. N. W.

26.00 Ascend Bank 10 feet

53.50 a Road N. & S.

59.50 a Stream 10 lks. wide co. N.

80.00 Intersection N. & S. Line at pr. wh.

Land level firm rate Beech,
Sugar, Ash, Oak, Elm, Walnut, W. Wood
Hickory, Lym. &c

18.

T. 23 N. R. 5 E, 2nd Mer. Indiana.

Chs. lks.

189.30 W. Cornelia Betio. Sec. 26 & 35.

20.00 a Beech 10 in. diam.

40.00 Sel 2nd Sec. first pr. wh.

a Beech 18 in. diam. N 12 W. 46 lks.

a Sugar 20 " " " 9.32 W. 52 "

55.00 a Buckeye 10 " "

81.00 to Sec. Cor.

N. 5 W. Between Sections 26 & 27

7.00 a Strawn 60 lks. wide cor. E. N. E.

32.15 a B. Ash 10 in. diam.

40.00 Sel 2nd Sec. first pr. wh.

a Beech 18 in. diam. N 12 W. 30 lks.

an Elm 24 " " " 4.89 W. 25 "

63.05 a W. Wood 10 " "

65.00 Enter Swamp E. N. W.

80.00 Sel first Cor. to Sec. 22, 23, 26, 27 pr. wh.

a W. Ash 24 in. diam. N 12 W. 18 lks.

a Maple 36 " " " 4.11 E. 30 "

Land except Swamp
 Surt first rate. Beech, Sugar,
 W. Wood, Elm, Ash, Oak, Walnut,
 Lym, Maple, Hick, Buckeye &c

189.30 E. On Random Betio. Sec. 23 & 26.

3.00 Leave Swamp. N. E.

79.94 Intermittent N. E. Line 15 lks. N. of first

Land Surt first rate - Elm,
 Lym, Buckeye, Ash, Walnut, White,
 Wood, Oak, Ironb. Hick, &c.

189.30 W. Cornelia Betio. Sec. 23 & 26

20.30 a W. Wood 10 in. diam.

39.97 Sel 2nd Sec. first pr. wh.

a Beech 10 in. diam. N 48 E. 28 lks.

a Do 10 " " 9.36 W. 9 "

19.

T23 N. R. 5 E. 2nd Mer. Indiana.

clo. lks.

59.75 a Beech 10 in. diam

79.94 to Sec. Cor.

N. 5 W. Return Sections 22 & 23

2.00 Leaf Swamp

18.10 a Beech 18 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Buckeye 10 in. diam. to N. 78 E. 8 lks. &

a Beech 18 " " " S. 68 W. 30 "

53.10 an Elm 26 " "

80.00 Set post L. Cor. to Sec. 14, 15, 22, 23 p. wh.

a W. Oak 12 in. diam. to S. 59 E. 20 lks.

a B. Ash 10 " " " N. 62 W. 10 "

Sand Soil firm state but
rather with Oak, W. & B. Ash, Elm, Gum, Willow,
Sycamore, Maple, Walnut, Hickory, Buckeye,
Spice &c

N. 89.30 E. On Random Return Sec. 14 & 23

79.80 Interrupted N. S. Line 15 lks. N. of post

Sand Soil firm with W. B. Ash,

Oak, Elm, Maple, Hickory, Gum, Gum, Gum.

and any quantity of Brush.

89.30 W. Corrected Return Sec. 14 & 23 -

19.30 a W. Ash 8 in. diam.

39.90 Set 2nd Sec. post p. wh.

a B. Oak 20 in. diam. to N. 50 E. 28 lks. &

a Do 8 " " " " S. 64 E. 25 "

60.40 a W. Oak 12 " "

79.80 to Sec. Cor. Dec. 27, 1846.

N. 5 W. Return Sections 14 & 15

24.25 a Beech 10 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 10 in. diam. to S. 50 W. 33 lks. &

20.

T. 23 N. R. 5 E. 2nd Mer. Indiana,
chs. lks.a Beech 10 in. diam. b. 161 E. 17 lks. dis.
61.34 an Elm 12 " "

80.00 Set post Cor. to Sec. 10, 11, 14, 15 p. wh.

a Beech 14 in. diam. b. N 45 E. 23 lks. d

a Ho 10 " " " 136 W. 57 "

Sand Sure firm roots Beech,
Sugar, Ash, Oak, Buckeye, Hickory,
Maple, Sycamore.N 89° 30' E. On Random Betwth Sec. 11 & 14

21.50 a Road N. W.

25.00 Descend Bank 15 feet to Stream 1.50 N.

38.00 a Road N. W.

42.00 Ascend Bank 10 feet

61.00 a Road N. W.

75.00 a Stream 10 lks. wide co. S. W.

79.88 Intersected N. & S. Line 20 lks. d post

Sand Sure firm roots Beech,
Sugar, Elm, Buckeye, W. Wood, Sycam.
Ash, Hickory &cN 89° 30' W. Cornuted Betwth Sec. 11 & 14

20.20 a Beech 14 in. diam.

39.94 Set 2nd Sec. post p. wh.

a Beech 10 in. diam. b. 160 E. 13 lks. d

a Walnut 10 " " " N. 58 W. 37 "

59.83 a Buckeye 7 " "

79.88 to Sec. Cor.

N. 5 W. Between Section 10 & 11

5.50 Enter Field 4.00 W & 6.00 E.

13.00 Leave Ho

15.21 a Beech 10 in. diam

16.00 Ascend Bank 15 feet

17.00 a Thorny

24.00 Cor Ho

T. 23 N. R. 5 E, 2nd Mer. Indiana.

chs. lks.

- 29.50 Wild Cat Creek 100 wide co. N. W.
 35.50 Ascend Bank 20 feet
 40.00 Set 2nd Sec. post p. wh.
 a Beech 8 in. diam. to N 29 E. 20 lks. &
 a Do 6 " " " S 86 W. 34 "
 43.00 Descend Bank 35 feet
 44.00 a Stream 15 lks. wide co. S. W.
 52.00 Top of Bank 10 feet
 56.23 a Beech 10 in. diam.
 70.00 Descend Bank 10 feet
 71.00 a Stream 10 lks. wide co. S. W.
 74.00 Top of Bank 12 feet
 80.00 Set post Cor. to Sec. 2, 3, 10, 11 p. wh.
 a Beech 14 in. diam. to N 60 E. 62 lks. &
 a Do 8 " " " N 71 W. 67 "

Land rolling firm rate.
 Beech, Sugar, Ash, Walnut, Hickory,
 Elm, Maple, W. Wood, Ironb. Lym.
 Buckeye &c

N 89.30 E. On Random Bitter Sec. 2 & 11

- 5.00 a Road N. W.
 54.00 Descend Bank 10 feet S. W.
 59.00 a Stream 15 lks. wide co. S. W.
 65.00 Ascend Bank 10 feet S. W.
 80.10 Intersected N. E. Line 14 lks. N. of post
 Land rolling firm rate.
 Beech, Sugar, Ash, Elm, Oak, Walnut, Hickory,
 Lym. White Wood &c

N 89.30 W. Corrected Bitter Sec. 2 & 11

- 18.90 a W. Ash 8 in. diam.
 40.05 Set 2nd Sec. post p. wh.
 a Beech 10 in. diam. to S 60 E. 30 lks. dir.
 a Do 8 " " " N 20 E. 46 " "
 58.10 a Sugar 26 " "

22.

T 23 N. R. 5 E. 2nd Mer. Indiana.
 chs. lks.
 80.10 to Sec. Cor.

N. 5' W. Between Sections 2 & 3

- 7.00 a Road N. W.
 20.10 a Sugar 18 in. diam.
 33.50 a Stream 8 lks. wide co. S. W.
 40.00 Set 2nd Sec. post p. wh.
 a Sugar 12 in. diam. to N 88 E. 39 lks. &
 " Oak 4 " " " S 50 W. 110 "
 60.02 an Elm 18 " "
 72.50 a Road N. W.
 75.60 Intersection N. Boundary, at post p. wh.
 a Birch 10 in. diam. to S 5 E. 21 lks. &
 a Ho 10 " " " S 32 W. 46 "

Landrolling first rate
 W. Wood, Birch, Sugar, Ash, Walnut
 Hickory, Maple, Lym. Buckeye &c
 Dec. 28, 1846.

N. 5' W. Between Sections 33 & 34

- 18.50 a Road S. E.
 21.50 a B. Ash 15 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 a Birch 24 in. diam. to S 70 E. 20 lks. &
 a Ho 6 " " " N 17 W. 15 "
 52.50 a Road N. E. & S. W.
 53.80 an Elm 12 in. diam.
 58.00 a Stream 15 lks. wide co. N. E.
 80.00 Set post Cor. to Sec. 27, 28, 33, 34 p. wh.
 a Birch 12 in. diam. to S 46 E. 22 lks. &
 a Ho 10 " " " N 34 W. 48 "

Landrolling first rate
 Birch, Sugar, Ash, Elm, Oak, Hickory,
 W. Wood, Walnut &c

N 89.50' E. On Range Between Sec. 27 & 34

23.

T23 N. R. 5 E. 2nd Mer. Indiana

chs. lks.

- 43.00 a Stream 60 lks. wide co. N.
 46.00 Ascena Bank 20 feet
 65.00 Descena Bank 10 feet
 68.00 a Stream 10 lks. wide co. N. & W.
 69.50 Ascena Bank 10 feet
 80.14 Intersected N. & S. Line 10 lks. S. of point
 Land Surt first rate -
 Beech, Sugar, Ash, Oak, Elm,
 Hickory, Sycam. Walnut, W. Woodpe.
-

- N. 89° 30' W. Connected Betwth Secs. 27 & 34
 16.40 an Elm 18 in. diam.
 40.07 Set 2nd Sec. post p. wh.
 a Beech 24 in. diam. to S. 71 W. 42 lks.
 a Do 8 " " " N. 31 W. 14 "
 62.00 a Sugar 30 " "
 80.14 to Sec. Cor.
-

- N. 5 W. Between Sections 27 & 28
 15.40 an Elm 12 in. diam.
 40.00 Set 2nd Sec. post p. wh.
 an Elm 12 in. diam. to N. 57 W. 29 lks.
 a Do 15 " " " N. 14 E. 30 "
 60.13 an Elm 15 " "
 80.00 Set post Cor. to Secs. 21, 22, 27, 28 p. wh.
 a W. Wood 12 in. diam. to N. 64 W. 19 lks.
 a Do 12 " " " S. 4 W. 35 "
 Land Surt first N. & B. Ash,
 Maple, Sycam. W. Wood, Elm, Beech,
 Ironwood, Sycamou, Hickory, Buckeye, &c
-

- N. 89° 30' E. On Random Betwth Secs. 22 & 27
 70.00 Enter Swamp
 80.20 Intersected N. & S. Line as per
 Land Surt first N. & B. Ash,
 Beech, Maple, Sugar, Elm, Hickory,

24.

T. 23 N. R. 5 E. 2nd Mer. Indiana

Chs. Lks.

Lynn, W. Wood, Oak, Buckeye
Spruce & P. Ash.S. 9.30 W. Connected Betwth Sec. 22 & 27

20.60 a Beech 10 in. diam.

40.10 Set 2nd Sec. from p. wh.

a Lynn 12 in. diam. N. 5 E. 11 lks.

a Beech 12 " " S. 15 W. 54 "

61.40 a Do 12 " "

80.20 to Sec. Cor.

N. 5 W. Between Sections 21 & 22

25.15 a Soft Oak 30 in. diam.

40.00 Set 2nd Sec. from p. wh.

a W. Beech 6 in. diam. N. 86 E. 13 lks.

a B. Ash 4 " " " N. 65 W. 18 "

55.50 an Elm 18 " "

77.00 a Stream 10 lks. wide co. N. E.

78.00 Same 10 " " " N. W.

79.60 Same " " " N. E.

80.00 Set from Cor. to Sec. 15, 16, 21, 22 p. wh.

a Buckeye 12 in. diam. N. 60 E. 37 lks.

a Do 10 " " " N. 10 W. 36 "

Sana Sulphur B. Ash.
Elm, Lynn, Maple, Sugar, Sycamore,
Buckeye &c -N. 89.30 E. On Random Betwth Sec. 15 & 22

2.00 a Stream 10 lks. wide co. N. E.

28.00 a Do 10 " " " N. E.

42.50 a Do 10 " " " N. W.

80.00 Intersected N. 89.30 E. line 15 lks. N. of from

Sana Sulphur B. Ash.
Oak, Elm, Hickory, Lynn, Maple,
Beech, Sugar, W. Wood &c -

25.

T. 23 N. R. 5 E. 2nd Mer. Indiana:

chs. lks.

489.30^W. Corrected Betw^o Secs. 15 & 22.
 20.30 a Beech 10 in. diam.
 40.00 Set 2nd Sec. post pr. wh.
 an Elm 12 in. diam. & S. 3 W. 20 lks. &
 a W. Wood 12 " " " N. 3 E. 21 "
 59.80 a Beech 10 " "
 80.00 to Sec. Cor. Set. 29. 1846.

N. 5th W. Between Sections 15 & 16.
 21.65 a Beech 10 in. diam.
 40.00 Set 2nd Sec. post pr. wh.
 a Beech 8 in. diam. & S. 65 W. 26 lks. &
 a W. Oak 6 " " " N. 24 E. 8 "
 56.00 a Stream 10 lks. wide co. N. W.
 61.00 an Elm 20 in. diam.
 80.00 Set post Cor. to Secs. 9, 10, 15, 16 pr. wh.
 a Sugar 12 in. diam. & N. 34 E. 32 lks.
 a Beech 10 " " " S. 34 W. 61 "
 Land Lure first rate Beech.
 Sugar. Ash. Elm. Hick. Elm. Beech.
 Eye Oak. W. Wood. Lympe

N. 39° 30' E. On Random Betw^o Secs. 10 & 15
 57.50 a Stream 10 lks. wide co. N. W.
 80.22 Interrupted N. & S. Line 10 lks. N. of post
 Land slightly rolling first
 rate - Beech. Sugar. Ash. Oak. Hick.
 Buckeye, Elm. Maple. W. Wood. Walnut &

489.30^W. Corrected Betw^o Secs. 10 & 15
 9.90 a Beech 14 in. diam.
 40.11 Set 2nd Sec. post pr. wh.
 a Beech 10 in. diam. & S. 30 E. 39 lks. &
 a L^o 12 " " " N. 20 W. 29 "
 63.45 a L^o 10 " "
 80.22 to Sec. Cor.

26.

T 23 N. R. 5 E. 2nd Mer. Indiana

Chs. lks.

N. 5th Between Sections 9 & 10
 17.00 Ascend Bank 30 ft
 24.60 a Sugar 20 in. diam.
 38.50 a Wood West
 39.00 Wild Cat Creek 1.50 wide cor. West
 40.00 2nd Sec. Cor. in Creek p. wh.
 a Hackberry 14 in. diam. $\$159 \text{ E. } 93 \text{ lks.}$
 an Elm 8 " " " $\$30 \text{ W. } 73 \text{ "}$
 49.00 Ascend Bank 30 ft & Enter field
 Extends 4.00 E. & 12.00 West
 57.00 Clear do
 69.00 an Elm 12 in. diam.
 80.00 Set post Cor. to Sec. 3 & 4. 9.10 p. wh.
 a Beech 10 in. diam. $\$42 \text{ E. } 58 \text{ lks.}$
 a do 8 " " " $\$48 \text{ W. } 59 \text{ "}$
 Land rolling pin rate Timber
 Beech, Sugar, Walnut, Oak, W. Wood,
 Sym. Maple, Elm, Hickory, &c

$\$189.30 \text{ E}$ On Random Betwth Sec. 3 & 10
 22.00 a Stream 10 W. wide cor. S. W.
 80.18 Interrupted N. & S. Line 8 W. N. of post.
 Land level pin rate Tim.
 Sugar, Beech, Walnut, White Wood,
 Ash, Oak, Elm, Hickory, Sym. &c

$\$189.30 \text{ W.}$ Cornuted Betwth Sec. 3 & 10
 19.40 a Beech 10 in. diam.
 40.09 Set 2nd Sec. post p. wh.
 a Beech 14 in. diam. $\$465 \text{ E. } 32 \text{ lks.}$
 a do 10 " " " $\$28 \text{ W. } 32 \text{ "}$
 63.42 a Cherry 8 " " "
 80.18 to Sec. Cor.

N. 5th Between Sections 3 & 4
 18.90 a Beech 10 in. diam.

T 23 N. R. 5 E. 2nd Mer. Indiana. 27.

ch. lks

- 21.00 a Road N. W.
 32.00 a Do N. W.
 40.00 Set 2nd Sec. from p. wh.
 a Beech 10 in. diam. $\frac{1}{2}$ N. 15 W. 37 lks. &
 a Do 8 " " " 4.60 E. 27 "
 57.25 an Elm 10 "
 75.45 Intersected N. Boundary at from p. wh.
 a Beech 14 in. diam. $\frac{1}{2}$ N. 40 W. 46 lks.
 a Sugar 14 " " " 4.45 E. 50 "
 Land here pine - native
 Beech, Sugar, Ash, Oak, Elm, Hickory,
 W. Wood, Walnut, Buckeye, Sycamore
 Sec. 30. 1846.

ch. 5 W. Between Section 32 & 33.

- 21.50 a Road E. & W.
 24.50 a Stream 30 lks. wide co. E.
 27.00 a Do 10 " " " 4. E.
 29.30 a W. Wood 12 in. diam.
 40.00 Set 2nd Sec. from p. wh.
 a W. Ash 6 in. diam. $\frac{1}{2}$ N. 79 W. 24 lks. &
 a W. Beech 4 " " " 4.39 E. 25 "
 67.30 a W. Oak 12 " "
 80.00 Set from cor. to Sec. 28, 29, 32, 33 from p. wh.
 a Beech 10 in. diam. $\frac{1}{2}$ N. 37 E. 37 lks. &
 a W. Ash 15 " " " 4.37 E. 42 " "
 Land here Rich - Sugar
 Beech, W. & B. Ash, Hickory, Elm, Sycamore, White-
 Wood, Ironwood, Walnut &c

N 89.30 E. On Random Betwnd Sec. 28 & 33

- 80.10 Intersected N. & S. Line 8 lks. S. of from
 Land here pine - native Beech, Sugar, Ash, Elm, B.
 Walnut, W. Wood, Sycamore, Oak, Hickory, &c.

N 89.30 W. Connected Betwnd Sec. 28 & 33

T. 23 N. R. 5 E. 2nd Mer. Indiana.

Ch. Lks.

20.50 a Beech 12 in. diam.

40.05 Set 2nd Sec. post pr. wh.

a Sugar 15 in. diam. B. N. 30 E. 17 Lks. dis.

a Beech 15 " " " 38 W. 13 " "

59.40 a B. Ash 10 " "

80.10 to Sec. Cor.

N. 5 W. Return Section 28 & 29

18.20 a W. Ash 15 in. diam.

40.00 Set 2nd post pr. wh.

a Sugar 12 in. diam. B. N. 42 W. 13 Lks. &

an Iron 8 " " " N. 53 E. 21 "

59.50 a Stream 8 Lks. wide cor. N. W.

64.10 a W. Ash 10 in. diam.

80.10 Set post Cor. to Sec. 20, 21, 28, 29 pr. wh.

a Beech 18 in. diam. B. N. 39 E. 8 Lks. dis.

a Do 15 " " " N. 60 W. 53 " "

Land Lure first rate Timber
 Beech, Ash, Sugar, Elm, Maples
 Oak, Hickory, W. Wood, Gum,
 Buckeye &c

N. 30 E. On Random Return Sec. 21 & 28

80.20 Interrupted N. 21 E. Line 10 Lks. N. of post

Land Lure first rate Timber

Beech, Elm, Gum, Oak, W. & B. Ash,

Maple, Hickory, Sugar, Iron W. Wood &c.

N. 30 W. Corrected Return Sec. 21 & 28

20.80 a W. Ash 6 in. diam.

40.10 Set 2nd Sec. post pr. wh.

a Sugar 36 in. diam. N. 5 W. 8 Lks. &

a Beech 12 " " " N. 56 W. 28 "

60.25 a Do 18 " " "

80.20 to Sec. Cor.

T. 23 N. R. 5 E. 2nd Mer. Indiana. 29.

chs. lks.

N. 5th Between Sections 20 & 21

18.20 a Sup. Oak 20 in. diam.

40.00 Set 2nd Sec. post p. wh.

(In South Margin of Swale)

a Maple 12 in. diam. p. 4th 1 W. 28 lks. x

a Do 10 " " " 4th 3 E. 16 "

61.98 a Maple 15 " "

64.00 Leave Swale M. N. W.

80.00 Set post Cor. to Secs. 16, 17, 20, 21 p. wh.

a Beech 12 in. diam. p. 4th 5 E. 5 lks. x

a Do 10 " " " 4th 3 W. 33 "

Land Surt and vol Timber

B. W. Ash. Oak. Hickory. Maple. Sycm.

Buckeye. White wood &c -

N. 8th 30th E. On Random Betw. Secs 16 & 21

80.10 Intermittent N. 4th S. 12 lks. S. of post

Land Surt first rate Beech.

Sugar. Oak. Sycm. Elm. Buckeye.

Hickory. W. Wood &c

N. 8th 30th W. Cornelia Betw. Secs 16 & 21

24.30 a Sycm. 40 in. diam.

40.05 Set 2nd Sec. post p. wh.

a Beech 10 in. diam. p. 4th 4 W. 24 lks. x

a Do 6 " " " 4th 8 E. 38 "

60.33 a W. Wood 10 " "

80.10 to Sec. Cor. Sec. 31 1846.

N. 5th Between Sections 16 & 17

18.16 a Hickory 10 in. diam.

40.00 Set 2nd Sec. post p. wh.

a B. Ash 14 in. diam. p. 4th 4 W. 20 lks.

a Sycm 14 " " " 4th 1 E. 27 "

59.68 a Do 10 " "

80.00 Set post Cor. to Secs 8, 9, 16, 17. p. wh.

80.

T. 23 N. R. 5 E. 2nd Mer. Indiana
chs. lks.

a Beech 7 in. diam. b. N. 5 W. 22 lks. x
a M. Ash 12 " " " N. 65 E. 44 "

Land Sur. fire rate
Beech, Hickory, Sugar, W. Wood,
Lym. Elm, Oak, Ash, &c.

189306 On Random Betw. Sec. 9 & 16.

14.00 a Stream 15 lks. wide cor. N. W.

31.00 a Do 10 " " " North

73.00 a Do 15 in " " N. W.

79.90 Intersected N. & S. line 15 lks. S. of post

Land Sur. fire rate - Beech,
Hickory, Sugar, W. Wood, Lym.,
Elm, Oak, Ash &c.

189306 Corrected Betw. Sec. 9 & 16.

6.20 a Sugar 10 in. diam.

39.95 Set 2nd Sec. post for. w. h.

a Lym. 10 in. diam. b. S. 5 E. 31 lks. di.

a Beech 14 " " " N. 15 W. 20 " "

59.80 a Buckeye 8 " " "

79.90 to Sec. Cor.

N. 5 W. Between Section 8 & 9

20.77 a Beech 10 in. diam.

40.00 Set 2nd Sec. post for. w. h.

a Beech 10 in. diam. b. N. 65 W. 35 lks. x

a Do 14 " " " N. 40 E. 54 "

55.82 a Do 10 " " "

60.00 Enter Winifred S. E.

70.00 Leave Do S. E.

80.00 Set post Cor. to Sec. 4, 5, 8, 9. for. w. h.

a Beech 10 in. diam. b. N. 30 W. 58 lks. x

a Lym. 8 " " " S. 80 E. 29 "

Land Sur. fire rate - Beech,
Sugar, W. Wood, Ash, Lym., Oak,

T. 23 N. R. 5 E. 2nd Mer. Indiana, 31
Ch. 16.

Maple, Buckeye Elm &c

189.306 On Random Return Sec 4 & 9
16.00 a Stream 10 lks. wide co. North.
29.00 a Road N.W.
33.00 a Ravine 20 feet deep N.E.
34.50 Ascend Bank 20 feet N.W.
36.50 Wild Cat Creek N.W.
39.50 Over Creek
43.00 Ascend Bank 20 feet
63.00 a Road N.W.
80.08 Interrupted N.E. Line 20 lks. S. of point
Land rolling first rate
Beech, Sugar, Walnut, Oak, Elm
Lyn, Walnut &c

189.306 Connected Return Sec 4 & 9
18.75 a Beech 20 in. diam.
40.04 Set 2nd Sec. point for wh.
a Buckeye 8 in. diam. N. 30 E. 40 lks. x
a W. Beech 8 " " " 455 W. 25 "
60.40 a Hickory 10 " "
80.08 to Sec. Cor.

N. 5th Return Sections 4 & 5
6.50 a Stream 6 lks. wide co. E.
22.50 a Road N.W.
37.50 a Stream 6 lks. wide co. N.E.
40.00 Set 2nd Sec. point for wh.
a Beech 10 in. diam. N. 60 E. 19 lks. x
a Do 8 " " " N. 70 W. 10 "
41.50 Ascend Bank 15 feet
46.56 Wild Cat Creek co. West 1.50 wide
50.50 Enter Field - extends 1.00 W. 5.00 E.
61.50 Leave Field
66.80 a Stream 30 lks. wide co. N.W.

32. S 23 N. R. 5 E. 2nd Mer. Indiana.
ch. lks.

68.00 Ascena Bank 15 feet N.W.
68.10 a Beech 8 in. diam.
75.70 Intermittent N. Boundary at post p. wh.
a Beech 20 in. diam. b. 4.65 W. 102 lks. x
a Do 10 " " " 4.20 E. 107 "
Land rolling firm rate Timber
Beech, Sugar, Walnut, Hicky, Ash,
Buckeye, Oak, W. Wood Ironwood
Lynn, Maple, &c. Spruce
Jan. 2nd 1847.

N. 5 W. Between Sections 31 & 32

1.50 Clear Field E. & W.
4.00 a Stream 50 lks. wide co. E. N. E.
34.25 a Beech 10 in. diam.
40.00 Set 2nd Sec. post p. wh.
a B. Ash 12 in. diam. b. 4.61 W. 9 lks. x
" Do 10 " " " 4.87 W. 22 "
62.10 a B. Walnut 15 " "
80.00 Set post Co. to Sec. 29, 30, 31, 32 p. wh.
a Sycamore 48 in. diam. 4.25 W. 14 lks. x
a Sugar 15 " " N. 31 E. 26 "
Land Live firm rate Timber
Beech, Sugar, Ash, Elm, Walnut,
W. Wood, Lynn, Hicky, Maple,
Buckeye &c

N 89.30 E. On Random Betw. Sec. 29 & 32

80.24 Intermittent N. 89.30 E. line at post
Land Live firm rate Timber
Beech, Sugar, Walnut, Hicky, Elm,
Whitewood &c

N 89.30 W. Corrected Betw. Sec. 29 & 32

32.35 a Lynn. 10 in. diam.
40.12 Set 2nd Sec. post p. wh.
a Maple 15 in. diam. b. 4.47 W. 20 lks. x

23 N. P. E. 2nd Mer. Indiana ^{33.}
ch. lks.

a Maple 6 in. diam. to N 19 E. 10 lks. x
68.80 a W. Oak 18 " " "
80.24 to Sec. Cor.

N 89.30 W. On Random Betwst Secs. 30 & 31
42.50 a Road N. N. W. (Hawtorny Fern)
76.90 Interrupted W. Boundary at foot
Land Live pine rate Timber
Beech. Sugar. Ash. Elm. Buckeye.
Oak. W. Wood &c

N 89.30 E. Cornuta Betwst Secs. 30 & 31
a Blue Ash 10 in. diam. N 64 E. 47 lks. x
a W. Oak 12 " " " 187 E. 45 "
19.30 a Lym 12 " " "
36.90 Set 2nd Sec. foot p. wh.
a W. Ash 12 in. diam. N 20 W. 33 lks. x
a Beech 10 " " " N 46 E. 21 "
50.30 a Sugar 18 " " "
76.90 to Sec. Cor.

N 5 W. Between Sections 29 & 30
5.00 a Sugar 18 in. diam.
40.00 Set 2nd Sec. foot p. wh.
a B. Ash 12 in. diam. to N 28 W. 13 lks. x
a Llo 12 " " " N 77 E. 33 "
61.20 a W. Wood 12 " " "
80.00 Set foot Cor. to Secs. 19, 20, 29, 30 p. wh.
a Beech 10 in. diam. to N 71 E. 26 lks. x
a Llo 8 " " " N 43 E. 26 "
Land Live & art. Beech.
Sugar. Ash. Elm. Oak. White Wood.
Buckeye, Lym. Maple. Walnut &c

N 89.30 E. On Random Betwst Secs. 20 & 29
72.50 a Stream 8 lks. wide to N. W.

34. T. 23 N. R. 5 E. 2nd Mer. Indiana.
Chs. Lk

80.14 Intersected N.Y. Line 20 W. S. of post
Land well post. Beech.
Sugar. Ash. Oak. W. Wood. Lym.
Maple. Hickory. Sycamore. Walnut.
Buckeye &c

18930 W. Connected Betwth Sec 20 & 29

16.40 a Beech 10 in. diam.

40.07 1st 2nd Sec. post for. w. h.

a Beech 10 in. diam. N. N. 9 E. 12 W. x

a Do. 10 " " " " 180 W. 20 "

68.00 a Do 12 " "

80.14 to Sec. Cor. Lang. 3rd 1847

18930 W. On Random Betwth Sec 19 & 30

15.00 a Stream 10 W. wide co. N.

37.00 a Do 10 " " " N.W.

53.30 a Road N.Y. (Perry Stauntown)

77.40 Intersected N. Boundary 10 W. S. of post

Land well post. Beech.

Sugar. Ash. Oak. Elm. Hickory.

Maple. Lym. &c

18930 E. Connected Betwth Sec 19 & 30

a Beech 10 in. diam. N. 30 E. 40 W. x

a Lym 8 " " " 175 E. 13 "

21.75 a Beech 10 " "

37.40 1st 2nd Sec. post for. w. h.

a Beech 12 in. diam. N. 31 E. 15 W. x

a Do 8 " " " 139 E. 21 "

50.30 a Sugar 18 " "

77.40 to Sec. Cor.

N. 5 W. Between Section 19 & 20

16.20 a Sugar 12 in. diam.

22.00 a Stream 40 W. wide co. N. E.

65.

L. 23 N. R. & E. 2nd Mer. Indiana,

cts. lks.

- 40.00 Set 2nd Sec. post p. wh.
 a Beech 8 in. diam. N. 75 E. 30 lks. dis.
 a Do 6 " " " N. 74 E. 13 " "
- 59.95 a Sugar 10 " " "
- 65.00 a Stream 40 lks. wide co. N.W.
- 80.00 Set post Cor. to Sec. 17, 18, 19, 20 p. wh.
 a Beech 8 in. diam. N. 38 E. 18 lks. dis.
 a Do 6 " " " N. 19 E. 21 " "
- Land Sur. 1st rate - Timber
 Beech, Sugar, Ash, Elm, White Wood,
 Walnut, Gum, Maple, Oak &c

- 189.30 E. On Random Betwnd Sec. 17 & 20
- 45.00 Enter Marsh N. & E.
- 60.00 Leave Marsh N. & E.
- 79.94 Intentional N. & E. Line 10 lks. S. of post
 Land Sur. & 1st rate Beech, Ash,
 Oak, Hickory, Gum, Gycamore, Maple,
 Elm, W. Wood &c

- 189.30 W. Corrected Betwnd Sec. 17 & 20
- 20.10 a W. Wood 12 in. diam.
- 39.97 Set 2nd Sec. post p. wh.
 a Beech 12 in. diam. N. 3 E. 38 lks. dis.
 a Do 12 " " " N. 54 E. 60 " "
- 60.80 a W. Oak 24 " "
- 79.94 to Sec. Cor.

- 189.30 W. On Random Betwnd Sec. 18 & 19
- 3.00 a Stream 50 lks. wide co. N.W.
- 70.00 a Road N. & E. (Peru & Stanton)
- 78.00 Intentional W. Boundary 15 lks. S. of post
 Land Sur. 2nd Rate - Beech,
 Ash, Elm, Oak, Maple, Sugar, W. Wood,
 Gum, Hickory, Ironw^{ood}, Buckeye &c

36. T. 23 N. R. 5 E. 2nd Mer. Indiana.
clo. lks.

189308 Cornuta Betu^{re} Sed. 18 & 19
a Beech 24 in. diam. N. 75 E. 17 lks. dis.
a Do 8 " " " N 55 E. 30 " "
20.80 an Iron^{ore} 8 " "
38.00 Set 2nd Sec. post p. wh.
a Beech 6 in. diam. N. 75 E. 19 lks. dis.
a Do 8 " " " N. 40 W. 33 " "
60.45 a W. Ash 12 " "
78.00 to Sec. Cor.

N. 5th Beturen Sed. 17 & 18
17.50 a W. Wood 36 in. diam.
40.00 Set 2nd Sec. post p. wh.
a Sugar 15 in. diam. N. 38 E. 16 lks. &
a Do 18 " " " N. 63 W. 30 "
60.68 a B. Oak 18 " " Enter Sup. E. & W.
81.00 Set post Cor. to Sed. 7, 8, 17, 18. p. wh. (incl. sup.)
a W. Ash 12 in. diam. N. 35 E. 25 lks.
a Do 10 " " " N. 31 W. 13 "
Land Sur^{vey} road 2nd rate. Timber
Beech, W. & B. Ash, Oak, Elm, Hickory,
Lym., Sycamore &c. Jan'y. 4, 1847.

189308 On Random Betu^{re} Sed. 8 & 17
10.00 Leave Swamp N. N. E.
80.20 Intersected N. P. L. line at post
Land Sur^{vey} road Timber
Ash, Elm, Oak, Hickory, W. Wood,
Walnut, Sugar, Beech, Buckeye &c

189308 Cornuta Betu^{re} Sed. 8 & 17
21.40 a B. Ash 19 in. diam.
40.10 Set 2nd Sec. post p. wh.
an Elm 30 in. diam. N. 20 W. 15 lks. dis.
a B. Ash 7 " " " N. 10 W. 7 " "
45.85 an Elm 14 " "

23 N. R. 5 E. 2nd Mer. Indiana. ^{37.}

Chs lks

80.20 to Sec. Cor.

189.30⁰⁰ On Random Betw² Secs 7 & 18

24.00 Clear Swamp

77.06 Interspersed W. Boundary 12 lks. S. of post
Land except S. of post first
rate Beech, Sugar, Ash, Oak, Walnut,
Maple, Lym. Buckeye &c

189.30⁰⁰ Cornetted Betw² Secs 7 & 18

an Iron² 6 in. diam. B. S. 1 E. 49 lks. &

a Beech 8 " " " N. 12 E. 52 "

19.36 a W. Wood 12 " "

37.06 1/2 Sec. 2nd Sec. post fr. wh.

a Beech 8 in. diam. B. N. 47 W. 24 lks.

a Do 10 " " " " 4.64 W. 6 "

77.06 to Sec. Cor.

N. 5th Return Sections 7 & 8

8.00 Clear Swamp N. W.

22.25 a Beech 8 in. diam.

28.00 Enter Swamp E. & W.

32.00 Clear Do E. & W.

40.00 1/2 Sec. 2nd Sec. post fr. wh.

a B. Ash 8 in. diam. B. 440 E. 25 lks. dia.

a B. Oak 7 " " " N. 50 W. 21 " "

56.70 an Elm 14 " "

80.00 1/2 Sec. post cor. to Secs 5, 6, 7, 8 fr. wh.

a W. Ash 10 in. diam. B. 440 E. 35 lks. &

a Do 8 " " " " 4.60 W. 40 "

Land Clear, Beech, Ash,
Oak, Sycamore, Elm, Lym. Maple,
Sugar, Hickory, W. Wood &c

189.30⁰⁰ On Random Betw² Secs 5 & 8

63.00 Enter Winifred S. E.

38.

T. 23 N. R. 5 E. 2nd Mer. Indiana
chs. lks.

76.00 Clear Windfall S. E.

80.12 Intermittent N. & S. Line 20 lks. N. of post
Land Surt, Beech, Lymn,
Ash, Elm, Oak, Hickory, Lymn, Sycamore,
Maple, W. Wood, — Spruce

189.30th Cornelia Butcher Sec. 5 & 8

24.40 a Beech 10 in. diam.

40.06 S. E. 2nd Sec. post p. w. h.

a B. Ash 6 in. diam. S. 5th 17 lks. &

a B. Oak 10 " " N. 7th 7 " "

60.20 a Beech 10 " "

80.12 to Sec. Cor.

189.30th On Random Butcher Sec. 6 & 7

76.20 Intermittent N. Boundary 10 lks. S. of post

Land Surt p. w. h. B. W. Ash,

Elm, Maple, Oak, Beech, Lymn,

Sugar, W. Wood, Hickory, &

189.30th Corrected Butcher Sec. 6 & 7

a Beech 10 in. diam. S. 5th 15 E. 33 lks. &

a Do 10 " " " S. 35 E. 33 "

30.62 a B. Ash 8 " "

34.20 S. E. 2nd Sec. post p. w. h.

a B. Ash 8 in. diam. S. 30th 29 lks. &

a Buckeye 7 " " N. 30 E. 22 "

67.80 an Elm 14 " "

76.20 to Sec. Cor.

N. 5th Butcher Sec. 5 & 6

20.13 a Beech 7 in. diam.

40.00 S. E. 2nd Sec. post p. w. h.

an Elm 10 in. diam. S. 55 E. 15 lks. &

a Do 12 " " " S. 55 W. 27 "

59.00 a Stream 10 lks. wide co. N. E.

T. 23 N. R. 5 E. 2nd Mer. Indiana. ^{39.}

chs. lks.

60.15 an Elm 10 in. diam.

64.50 a Stream 10 lks wide c. N. W.

72.00 a Do 10 " " " N. E.

74.00 a Do 10 " " " N. W.

75.10 Interrupted N. Boundary, at point for wh.

a Sym 8 in. diam. to T. 35 E. 26 lks. &

a Sugar 10 " " " 440 W. 30 "

Land Surveyed - Beech,
Ash, Elm, Oak, Hickory, Sym,
Maple, Sycamore, W. Wood &c -
Jan'y 5. 1847

General Description

This Township is all
good first rate, rolling Land
Timbered with W. B. Oak, Ash, Beech,
Sugar, B. Walnut, Sym, Hickory,
Buckeye, Maple, Spruce & P. Ash, &c.
This Township is thickly
settled near the Wild Cat Creek.

I, John H. Mullett do solemnly
swear that in pursuance of a Contract between
John Mullett and Lucius Lyon Surveyor General
of the United States, for the States of Ohio,
Indiana & Michigan - And in strict
conformity to the Laws of the United States
And the instructions of said Surveyor
General - I have surveyed and sub-
divided into Sections T. 23 N. R. 5 E. in the
State of Indiana - And I do
further swear, that the foregoing
are the true and Original Field
Notes of said Survey and Subdivision
executed as aforesaid by me for

T. 23 N. R. 5 E. 2nd Mer. Indiana,

John Mullett

John H. Mullett

Depy. Surveyor

Sworn and Subscribed before
me this 17 day of March. 1847.

H. T. Bachus

Justice of the Peace

Wayne County Michigan

I certify that the foregoing
Transcript of the Field Notes of
Township N. 23 N. in Range N. 5 E.
2nd Meridian Indiana, has been
compared with the Original notes
in this Office and found to be
correct -

Surveyor Genl. Office
Detroit Nov. 1. 1849.

Lucius Lyon
Sd. Genl.